Quantum® 600 Series
MASS ORDER FORM
Revised: JULY 2009

Pride Mobility Products Australia Pty Ltd
21 Healey Road, Dandenong, VIC, 3175
Phone: (03) 9706-4611 • *Fax:* (03) 9706 4893

aidacare Healthcare Equipment Solutions

3/47 Learoyd Rd
ALGESTER Q 4115
Ph: (07) 3272 6900
Fax: (07) 3272 4930

Account #:	Date:	Order No.	Fax No.	Phone No.
Bill To:		Ship To:	P.O. #:	
Address:		Address:		
Phone Contact:		Marked For:		

MANDATORY INFO FOR BUILD
Height: _____
Weight: _____
Leg Length: _____
Lower Leg Length: _____

SPECIFIC CONFIGURATION

❑Quantum 600

Programmable speed up to 8 KM/H, 136 kg weight capacity 1/4 speed inhibit with all power positioning seating systems.

COLOUR

❑Champagne	SHDASMB4442
❑Candy Apple Red	SHDASMB4439
❑Viper Blue	SHDASMB4440
❑Onyx Black	SHDASMB4441
❑Sunburst Orange	SHDASMB4485

Kid Colours:

❑Bronto Blue	SHDASMB4926
❑T-Rex Red	SHDASMB4902
❑Gator Green	SHDASMB4938
❑Prehistoric Pink	SHDASMB4950
❑Saber Yellow	SHDASMB4890
❑Primal Purple	SHDASMB4914

CONTROLLER

❑Omit Standard Hand Control[33]

Q-Logic Electronics

❑80 amp Q-Logic Hand Control[3,5]	CTLDC1467
❑80 amp Q-Logic Stand Alone Control[3,7]	CTLDC1469
❑Q-logic Enhanced Display[29]	CTLDC1471
❑Q-Logic Multiplier Box	DWR1111H053

Remote Plus Controls

❑3-Key Remote Plus 70 amp[1,3] (*Select Box for Profile*) ❑1 Profile ❑Multiple Profile	CTLDC1368
❑7-KeyAccess. Remote Plus 70 amp[1,3,4]	CTLDC1062
❑Remote Plus 70 amp with Speed Dial [3,5]	CTLDC1352
❑Remote Plus 70 amp with with Toggles[3,5]	CTLDC1351
❑Remote Plus 70 amp with Switch Jacks [3,5]	CTLDC1353
❑Microdrive, 70 amp [3,5,6]	CTLDC1369
❑Omni Plus[29]	CTLDC1384

ATTENDANT CONTROLLER

❑PG Attendant Control	CTLDC1118
❑SAJ Attendant Control	CTLDC1469

ATT CONTROL MOUNT

❑PG Attend. control mounting	FRMASMB4059
❑PG Quick release mount plate	DWR1000C257
❑Q-Logic SAJ Attend. bracket	DWR1010D298
❑Q-Logic Attendant bracket	FRMASMB10455

CONTROLLER MOUNT

Fixed, In-Line Joystick Mount Std.
❑PG DWR1200C103
❑QLOGIC DWR1000D137
❑Left ❑Right

Swing away PG[27]
❑Left FRMASMB5288 ❑Right FRMASMB5290

Quick Disconnect, Joystick Mount[26]
❑Left ❑Right FRMASMB6175

Q-logic swing away
❑Left FRMASMB10449 ❑Right FRMASMB10450

Multi Axis Q-logic FRMASMB10452

Multi Axis P&G FRMASMB5149

OMNI PLUS MOUNTING BRACKET

❑Omni Mount	DWR1000B326
❑Flex Goose Neck	INDPART1782
❑Switch-it Multi Axis Omni	FRMASMB3729
❑Stealth Drop Down	INDPART2447

ENHANCED DISPLAY Q-LOGIC

❑Flex Goose Neck	INDPART1782
❑Enhanced Display Mount	DWR1010D313

STAND ALONE JOYSTICK/(SAJ)

❑Midline Mount FRMASMB10454
❑Swing Away
❑Left FRMASMB10447 ❑Right FRMASMB10448
❑Multi Axis FRMASMB10451

BATTERIES (2 required)

❑ NF-22, 50 amp Gel Cell MKGEL50

BATTERY CHARGER

❑ 7 amp Off-board Charger	2407
❑ 10 amp Off-board Charger	2410

JOYSTICK HANDLE OPTIONS

PG & Q-Logic Controls

❑VSI Knob	PLSKNCP1045
❑Mushroom Handle	PLSKNCP1008
❑T-Bar	PLSKNCP1006
❑Chin Cup	PLSKNCP1009
❑Extended I-Handle	PLSKNCP1005
❑Soft Ball Handle	PLSKNCP1004
❑Medium Ball Handle	PLSKNCP1007
❑3"W Goal Post Handle	PLSKNCP1057
❑4"W Goal Post Handle	PLSKNCP1058

DRIVE TYRES

14" Pneumatic (pair)[28]	TIRPNEU1004
14" Flat-Free (pair)	TIRSOLI1008

PEDIATRIC LEGRESTS

❑**Pediatric legrests Style #8**

Consisting of:

❑Pediatric uppers #8 pair	FRMASMB8808
❑Lower extensions	FRMASMB8805
Mounting Block	FRMASMB8813
❑Footplate 4 x 6	DWR1010D235
❑Footplate 5 x 6	DWR1010C215

Quantum® 600 Series

Order Form

Revised: JULY 2009

q **#8 New style swing away pair**[24] FRMASMB7840
q **Footboard** FRMASMB7639

Please select appropriate configuration and specs

SWING AWAY STYLE #8 SPECS

q 70°Swing-away uppers Style #8[25,27] FRMASMB7854/53
q 80 Swing-away uppers Style #8[27] FRMASMB7856/55
q 70° Tapered Uppers Style #8[25] FRMASMB7858/57
q 70° short straight Uppers #8[25] FRMASMB8055/54
q 80° short straight Uppers #8[25] FRMASMB8057/56
q 70° short tapered Uppers #8[25] FRMASMB8059/58

q Quad Release Lever FRMASMB8002

q **S/A Standard Extensions:**[12]
- q 11"-13" Ext. FRMASMB8053
- q 13"-16.5" Ext FRMASMB7844
- q 15.5"-19.5" Ext. FRMASMB7845

(Lengths over 17" may cause interference)

q Aluminium Footplate
- q 7.25" x 6" [10](Tapered legs require 16"W or greater seat FRMASMB7847
- q 8.5 x 6"[9] (Tapered legs require 18"W or greater seat) FRMASMB7845

q **Angle Adjustable Ext.:**[12]
- q 11" - 14" Ext. FRMASMB4752
- q 14" - 17" Ext. FRMASMB4753

(Lengths over 17" may cause interference)

Angle Adjustable Footplates (pair)
- q 5"x6" [10] (Tapered legs require 16"W or greater seat) DWR1000C231
- q 5"x8" [10] (Tapered legs require 16"W or greater seat) DWR1000D107
- q 6"x8" [9] (Tapered legs require 18"W or geater seat) DWR1000D080
- q 6"x11" [9] (Tapered legs require 18"W or greater seat) DWR1000C165
- q 8"x11" [11] (Tapered legs require 22"W or greater seat) DWR1000D106
- q Wheel Bumpers WHLASMB1578

q **Multi-Axis Ext. (ball & socket):**
- q 11"-16.5" Ext.
  - q Short FRMASMB9168
  - q Long FRMASMB9159
- q 15.5"-19.5" Ext.
  - q Short FRMASMB9171
  - q Long FRMASMB9162

(Lengths over 17" may cause interference)

Multi-Axis Footplates (pair)
- q 4"x6" [31] (Tapered legs require 14"W or greater seat) DWR1010D235
- q 5"x6" [10] (Tapered legs require 16"W or greater seat) DWR1010C215
- q 5"x8" [10] (Tapered legs require 16"W or greater seat) DWR1010D247
- q 6"x8" [9] (Tapered legs require 18"W or greater seat) DWR1010D203
- q 6"x11" [9] (Tapered legs require 18"W or greater seat) DWR1010D250
- q 8"x11" [11] (Tapered legs require 22"W or greater seat) DWR1010E614
- q Wheel Bumpers WHLASMB1578

FRONT RIGGINGS OPTIONS

❑Heel Loops (pair) [13]
❑Gel Neoprene Footrest Sleeve (pair)[14]
❑ELR / ALR Adductor Buttons (pair)
❑**POSAlinc** Knee Adductor (pair) for S/A legrests
❑Residual limb support left
❑Residual limb support right

q **Elevating Leg Rests** FRMASMB3806
Adj. Calf Pads w/ ELRS (1 hole std.)
q 1 hole q 3 holes* q 6 holes*
FRMASMB1984 FRMASMB6432 FRMASMB6433
*Potential for interference w/ shrouds

q **Heavy Duty Legrests drop in**
- q HD Drop-Ins, 70°[8,15,20] FRMASMB4853
- q HD Drop-Ins, 80°[8,15,20] DWR1000D121

N/A w/ contoured or Specialty seating

Angle Extensions:[12]
- q 12" - 14.5" Ext. FRMASMB4752
- q 14.5" - 18" Ext. FRMASMB4753
- q 17.5" - 21" Ext. FRMASMB4754

(Lengths over 17" may cause interference)

POWER LEG OPTIONS

UPPERS:

q **Power-elevating, high-pivot**[16,17,21] FRMASMB3996
Legrests, (calf pads included)[19]
q Independent q Combined q Synchronized[18]

q **Power-elevating, Articulating**[17,20] POWERALR
Set at: q 70° **Stroke** q 4" FRMASMB7774
q 6" FRMASMB7429/30
q 80° **Stroke** q 4" FRMASMB7773
q 6" FRMASMB7280/81
q Independent q Combined[16] q Synchronized[18]

q **Swing-away Power-elevating, Articulating**[17,20]
Articulating Range is always 4"
Set at: q 70° FRMASMB9075/74
q 80° FRMASMB9071/72
q Quad Release Lever
q Independent q Combined q Synchronized[18]

q Calf Pads Left & Right (6 x 5.35) FRMASMB7282
q Calf Pads Left & Right (8.00 x 5.86) FRMASMB8302

LOWER SPECS

Please note choose lower and f/plate size

Extensions:[12]
- q 11"-14" Ext[2] FRMASMB4752
- q 14"-17" Ext FRMASMB4753

q **Footplates (pair)**
- q Reinforced Footplate
- q 7.25" x 6"
- q 8.5 x 6"
- q 5"x8" Angle-Adj. Footplate[10] DWR1000D107
- q 6"x8" Angle-Adj. Footplate[9] DWR1000D080
- q 6"x11" Angle-Adj. Footplate[9] DWR1000C165
- q 8"x11" Angle-Adj. Footplate[11] DWR1000D106

q Wheel Bumpers (Ang-adj. only) WHLASMB1578

q **Power Articulating Foot Platform**[32]

Upper q 14-18 q 16-20 q 20-24
FRMASMB11115 FRMASMB11116 FRMASMB11117

Lower q 12-14 q 14-16 q 16-18 q 18-20
FA11121 FA11122 FA11123 FA11124

Footplates
q Depth Adjust q Non depth adj q Pediatric
FRMASMB11118 FRMASMB11120 FRMASMB11119

HIGHMOUNT

q **Highmount Footboard**

Upper q 10-12 q 12-15 q 16-24
FRMASMB6829 FRMASMB6830 FRMASMB6831

Lower q 10-14 q 14-17 q 17-20
FRMASMB7033 FRMASMB7034 FRMASMB7035

Footboard q 11" FRMASMB7037
q 9.55" FRMASMB2295
q 6 Wheel FRMASMB8585

Footnotes for pages 1 & 2

1. Std. w/ one programmable drive profile.
2. Special order on on ALR's.
3. Needed for controlling power positioning systems.
4. Needed for lighting packages.
5. Avail. w/ five individual drive profiles.
6. Requires multi-axis joystick mount; N/C for mount.
7. Avail. w/ four profiles.
8. N/A on Specialty, contoured seating or waterfall armpads.
9. Only avil. on 16" W or greater seats.
10. Only avil. on 14" W or greater seats.
11. Only avil. on 20" W or greater seats.
12. Knee to heel length is measured from the top of the legrest to the footplate. It will increase when contoured or rehab seating w/ cushions is selected. The overall length may vary approx. 3" depending on choice of seat and /or cushion.
13. Std. w/ ang-adj. footplates.
14. Avail. w/ S/A footrests & 70 degree HD drop-ins.
15. May cause interference w/ front anti-tips w/ certain seat widths and lower leg lengths. Call Customer Service.
16. Requires Remote Plus.
17. Power legrests are only available on TRU-Balance and Synergy Seating Systems. Only the combined & independent motion can be selected on the Synergy Seat.
18. Only avail. on TB Recline.
19. Std. calf pad is not depth adjustable.
20. Std. w/ heel loops & ang-adj. footplates, check size below.
21. N/A w/ Q-Logic controls, please contact Quantum cutomer service for special orders.
22. Cannot be used w/ power positioning systems
24. Please note way footrests are standard when ordered with Power Positioning.
26. N/A w/ waterfall armpads; only available on Quantum Seating Systems and only one option maybe mounted.
27. Can only mount one armest accessory in combination w/ S/A joystick.
28. If ordered w/ reference guides or configuration packages discounts may apply.
29. Please consult specialty controls order form for a variety of secondary controls and mounting options.
31. N/A with waterfall armpads and dual post armrests.
32. Power Articulating foot plates have two different mounts. Please refer to IPB for correc ordering.
33. Tick if not required and credit will be raise on invoice.

Quantum® 600 Series

Order Form
Revised: JULY 2009

Synergy Seating Systems[11]

q Synergy Seating™ System
q Synergy Manual Recline Pkg.[12,13,14,15,22]
Maximum weight 300 lbs.
q Synergy Manual Tilt Pkg.[13,16]
(Max Dimensions 18"W x 18"D)
Maximum weight 160 lbs.

Synergy Manual Systems come standard with mercury drive lock-out.

WIDTH

Set Seat Width At:

q 10" q 11"
q 12" STD q 13"
q 14" q 15"
q 16" STD q 17"
q 18" STD q 19"
q 20"

Seat Width Package

q 10"W-14"W q 14"W-18"W
q 16"W-20"W

Seat Width Package Manual Tilt

q 10"W-12"W q 12"W-14"W
q 14"W-16"W q 16"W-18"W

DEPTH

Set Seat Depth At:

q 10" q 11"
q 12" q 13"
q 14" q 15"
q 16" q 17"
q 18" q 19"
q 20"

Seat Depth Package

q 10"D-14"D q 14"D-18"D
q 16"D-20"D

Seat Depth Package Manual Tilt

q 10"D-14"D q 14"D-16"D
q 16"D-18"D

BACK CANES

Synergy Manual Recline comes standard with 22" non-height adjustable back canes.

Back Cane Height

q 14"	FRMASMB7897	q 15"	FRMASMB7898
q 16"	FRMASMB7899	q 17"	FRMASMB7900
q 18"	FRMASMB7901	q 19"	FRMASMB7902
q 20"	FRMASMB7903	q 21"	FRMASMB7904
q 22"	FRMASMB7905	q 23"	FRMASMB7906
q 24"	FRMASMB7907	q 25"	FRMASMB7908

Cane height is useable straight cane ie 24" from seat pan to top of cane is actually 21" to top of cane.

BACK OPTIONS

q Solid Plate Back up to 20" W[22]
q Solid Plate Back 21-24" W[22]
q Solid Curved Backrest
Back Height:[4]
q 18"H q 19"H q 20"H q 21"H
q 22"H q 23"H q 24"H q 25"H
q Sling Back[20]

SHAPE BACK

q Synergy Shape back[1,3]
All 19" High, Please choose width.
q 14" SETASMB5522 q 16" SETASMB55223 q 18" SETASMB5524
q 20" SETASMB5525 q 22" SETASMB5526

TRU-COMFORT

q Tru Comfort back[12]

q 16X22	SETASMB5845	q 16X25	SETASMB5846
q 18X22	SETASMB5847	q 18X25	SETASMB5848
q 20X22	SETASMB5849	q 20X25	SETASMB5850
q 22X22	SETASMB5851	q 22x25	SETASMB5852

q Tru Comfort MANUAL Recline Seatback[12,23]
All with latch on right side.

q 16x22	SETASMB6057	q 16x25	SETASMB6059
q 18x22	SETASMB6061	q 18x25	SETASMB6063
q 20x22	SETASMB6065	q 20x25	SETASMB6067

ARMRESTS

q Flip-back, cane mounted [3,5,18]

q 2-Post, flip-back, height [3,5,19] FRMASMB7062/63
adjustable, removable armrests FRMASMB7060/61
(9"-13" of height adjustment in 1" increments)

q Single Post Height adj.[6,2] FRMASMB8592/93 FRMASMB8594/95
11"-17" of height adj. 3" on top in 1/2" increments & 3" on bottom in 1" increments
quick height
q Quad Release Lever FRMASMB8830/8831

q Removable, height adjustable[21] DWR1356E008
heavy duty armrests DWR1356E007
q 8"H-12"H DWR1600C140 q 10"H-14"H DWR1600C141

q Pediatric removable[21] FRMASMB10609/8
adjustable, quick height.
q Match Shroud Color q Black

q Quad Release Lever FRMASMB8830/8831
(7 3/4" - 9 3/4" height adjustment in 1/2" increments from seat pan to top of armrest)

ARMPADS

q Full length, Straight, 2" X 14"
q Left q Right SETLRAM1116
q Desk Length, Straight, 2" X 10"
q Left q Right SETLRAM1115
q Full Length, Waterfall, 2" X 14" [7]
q Left q Right SETLRAM1165
q Desk Length, Waterfall, 2" X 10" [7,17]
q Left q Right SETLRAM1164

HEADRESTS [3]

q Stealth [7,8]
Large (11"wide x 6" high) INDPART2327
q Stealth [7,8]
Small (9 3/4" wide x 3" high) INDPART2142
q Stealth, swing-away (Flip-Down)
Head Rest Bracket INDPART2219
Interfaces w/ any headrest that uses 1/2" square down-tube
q Medical Applications [7,8]
Large (11"wide x 6" high) SETHEAD1018
q Medical Applications [7,8]
Small (9 3/4" wide x 3" high) SETHEAD1017
q Fixed, Offset Mounting Bracket

q TRU-Comfort [9,10]
q 8" Wide w/ Cobra hardware FRMASMB10598
q 10" Wide w/ Cobra hardware FRMASMB10599
q Bracket for after market headrest HDWASMB1016

Footnotes for pages 3:

1. 14" & 22" width are N/A.
2. Micro-drive, Shape Back & high-mount foot platform are N/A in the same configuration.
3. Shape Back & w/ flip-back arms may interfere in the same configuration, call for details.
4. Measured from seat pan to top of back pan w/ 3" gap to accomodate the cushion.
5. S/A laterals interfere w/ flip-back arms.
6. Tools are required to obtain additional 4" of height adjustment at bottom of armrest. 3" of adjustment at top requires no tools. Total available adjustment range is 11" - 17".
7. Only avail. on removable, adjustable, quick-height arms & pediatric arms.
8. Available w/ solid backs only.
9. Comes with swing-away / removable hardware.
11. Manual systems do not include a headrest.
12. N/A w/ flip-back, cane mounted arms.
13. Solid back not included.
14. Includes removable, adjustable, quick-height armrests.
15. N/A w/ Shape Back.
16. Manual Tilt w/ Shape back & oxygen tank holder requires the use of a pushbar.
17. N/A w/ S/A joystick mount.
18. N/A w/ Synergy manual recline.
19. May cause interference with certain dimension configurations. Call Quantum Customer Service.
20. N/A w/ Synergy manual systems.
21. Desk length armrests w/ an accessory limit the accessibilityto the height adj. lever.
22. Solid plate back is N/A w/manual recline.
23. Manual recline not available on TB2 tilt or recline system.

TRU-BALANCE 2 TILT

55 degree (CG) power tilt seating system.

q TRU-Balance 2 Power Tilt

q TRU-Balance PEADIATRIC tilt 10"-14"w only

TRU-BALANCE 2 RECLINE

q TRU-Balance Power Recline

Full Drive lock-out at 20 degrees

TRU-BALANCE 2 TILT & RECLINE

q TRU-Balance2 Power Tilt & Recline

TRU-BALANCE POWER LIFT

❑TRU-Balance 10" of Lift

- 10" of scissor Lift, must select TB Tilt or TB Tilt & Recline in conjuncton with this lift

- 1/4 Speed Inhibit

- 300 lbs. max. wt.

- Allowable dimensions 16" x 16" - 20" x 20"

- Requires Q-Logic, N/A w/ Q-logic & toggle

- N/A w/ TB Recline only or Manual Recline

- Requires fixed towers

q TRU-Balance, power-elevating seating

7" of Lift & 1/4 Speed Inhibit - 300lbs max.wt.

SYSTEM SPECIFICATIONS

Tower Selection(Tilt or Tilt/Recline only)

q Adjustable-angle

Will raise minimum STF by 7/8".

q Fixed

Set Seat Width At:

q 14" q 15" q 16" q 17"
q 18" q 19" q 20"

Seat Width Package

q 14"W-18"W q 16"W-20"W

Set Seat Depth At:

q 14" q 15" q 16"
q 17" q 18" q 19"
q 20"

Seat Depth Package

q 14"D-18"D q 16"D-20"D

Push Bar selection must match back width; centre tube standard when selecting flip-up arms.

Set Back Cane Height At:

q 14"	FRMASMB7897	q 15"	FRMASMB7898
q 16"	FRMASMB7899	q 17"	FRMASMB7900
q 18"	FRMASMB7901	q 19"	FRMASMB7902
q 20"	FRMASMB7903	q 21"	FRMASMB7904
q 22"	FRMASMB7905	q 23"	FRMASMB7906
q 24"	FRMASMB7907	q 25"	FRMASMB7908

Seat Overall Back Height[1]

q 14" q 15"
q 16" q 17"
q 18" q 19"
q 20" q 21"
q 22" q 23"
q 24" q 25"

BACK OPTIONS

q Attendant manual recline[4,24,25,26,27]
q Solid Plate Back up to 20" W[22]
q Solid Plate Back 21-24" W[22]
q Solid Curved Backrest
Back Height:[4]
q 18"H q 19"H q 20"H q 21"H
q 22"H q 23"H q 24"H q 25"H
q Sling Back[20]

SHAPE BACK

q Synergy Shape back[1,3]

All 19" High, Please choose width.

q 14" SETASMB5522 q 16" SETASMB55223 q 18" SETASMB5524
q 20" SETASMB5525 q 22" SETASMB5526

TRU-COMFORT

q Tru Comfort back[12]

q 16X22	SETASMB5845	q 16X25	SETASMB5846
q 18X22	SETASMB5847	q 18X25	SETASMB5848
q 20X22	SETASMB5849	q 20X25	SETASMB5850
q 22X22	SETASMB5851	q 22x25	SETASMB5852

q Tru Comfort POWER Tilt And Recline[12]

Q-Logic

q 16X22	SETASMB6044	q 16X25	SETASMB6045
q 18X22	SETASMB6046	q 18X25	SETASMB6047
q 20X22	SETASMB6048	q 20X25	SETASMB6049
q 22X22	SETASMB6050	q 22x25	SETASMB6052

Remote Plus

q 16X22	SETASMB5925	q 16X25	SETASMB5926
q 18X22	SETASMB5927	q 18X25	SETASMB5928
q 20X22	SETASMB5929	q 20X25	SETASMB5930
q 22X22	SETASMB5931	q 22x25	SETASMB5932

ARMRESTS

q Flip-back, cane mounted [3,5,18]
q 2-Post, flip-back, height [3,5,19] FRMASMB7062/63
adjustable, removable armrests FRMASMB7060/61
(9"-13" of height adjustment in 1" increments)
q Single Post Height adj.[6,21] FRMASMB8592/93 FRMASMB8594/95
11"-17" of height adj. 3" on top in 1/2" increments & 3" on bottom in 1" increments
quick height
q Quad Release Lever FRMASMB8830/8831
q Removable, height adjustable[21] DWR1356E008
heavy duty armrests DWR1356E007
q 8"H-12"H DWR1600C140 q 10"H-14"H DWR1600C141
q Pediatric removable[21] FRMASMB10609/8
adjustable, quick height.
q Match Shroud Color q Black
q Quad Release Lever FRMASMB8830/8831
(7 3/4" - 9 3/4" height adjustment in 1/2" increments from seat pan to top of armrest)

ARMPADS

q Full length, Straight, 2" X 14"
q Left q Right SETLRAM1116
q Desk Length, Straight, 2" X 10"
q Left q Right SETLRAM1115
q Full Length, Waterfall, 2" X 14" [7]
q Left q Right SETLRAM1165
q Desk Length, Waterfall, 2" X 10" [7,17]
q Left q Right SETLRAM1164

Euro Seating

q Euro seat packages

Width: **Depth:**
q 17" [1] q 17"
q 19" [1] q 19"

ACCESSORIES

q 17" seat pan	DWR1625D039
q 19" seat pan	DWR1625D041
q Euro headrest small	FRMASMB3838
q Euro headrest large	FRMASMB3839

POWER OPTIONS

q 25 deg Tilt
q Recline
q 25 deg Tilt & Recline

ARM RESTS

For Euro Seats

q Removable, height adjustable
q Flip-up, height-adjustable removable

HEADRESTS [3]

q Stealth [7,8]
Large (11"wide x 6" high) INDPART2327
q Stealth [7,8]
Small (9 3/4" wide x 3" high) INDPART2142
q Stealth, swing-away (Flip-Down)
Head Rest Bracket INDPART2219
Interfaces w/ any headrest that uses 1/2" square down-tube
q Medical Applications [7,8]
Large (11'wide x 6" high) SETHEAD1018
q Medical Applications [7,8]
Small (9 3/4" wide x 3" high) SETHEAD1017

q Fixed, Offset Mounting Bracket
q TRU-Comfort [9,10]

q 8" Wide w/ Cobra hardware FRMASMB10598
q 10" Wide w/ Cobra hardware FRMASMB10599
q Bracket for after market headrest HDWASMB1016

TILT POWER POSITIONING ELECTRONICS

Select Electronics to be used

q Q-Logic **(TB 2 Tilt Only)**
q PG Remote Plus
Electronics for Tilt Only
q Through Toggle Box[15]
q Left q Right (mounts to side of armrest)
q Through Single Switch Tilt Module[16,17,18]

Tilt or Recline Only Power Positioning
Single Motor Controller:
q Through Remote Plus Controller
q Through Q-Logic Controller
Multiple Motor Controller:[16]
q Through Remote Plus Controller
q Through Toggle[14] (Select one)
q 4-way Toggle SWTMCRO1099
q 4-way Button Toggle
q Quad Push-Button Ctrl SWTMCRO1098
Toggle box mounts to side of armrest.
q Left q Right

Quantum® 600 Series

Order Form

Revised: JULY 2009

TILT/ RECLINE POWER POSITIONING

All options require motor control module.

q QL Electronics
q PG Electronics- Multiple Motor controller

q Single Function:
q Operation through Controller
q Operation through toggle
(Select one)
q 4-way Toggle SWTMCRO1099
q 4-way Button Toggle
q Quad Push-Button Control SWTMCRO1098
Toggle box mounts to side of armrest.
q Left q Right
PG Electronics- Multiple Motor controller

q Multiple Function:
q Operation through PG q Q-Logic
q Operation through toggle
(Select one)
q 4-way Toggle SWTMCRO1099
q 4-way Button Toggle
q Quad Push-Button Control SWTMCRO1098
Toggle box mounts to side of armrest.

ACCESSORIES

q Cane/Crutch Holder[19,20,21] ACCINDV1058
q Oxygen Holder[19,20,21] OBC
q Oxygen Holder[2,5,19,20,22] OBC
(TRU-Balance Tilt & Synergy Seat only)
q Accessory Mounting Bracket FRMASMB1504
(1" adaptor tube for use w/ TB Power Recline)
q Walker Holder[19,20,21] ACCASMB1018
q Cup holder
q Left ACCASMB1066

N/A on desk length arm with S/A
q Lap Belt Std.
q 38" ACCBELT1005
q 50" ACCBELT1000
q 60" ACCBELT1002
q 70" ACCBELT1003
q 80" ACCBELT1004
q 90" ACCBELT1001

SPECIALTY CONTROLS

q Remote Joystick Module (RJM) CTLDC1145
q Mini Joystick Light touch CTLDC1139

SPECIALTY CONTROLS BRACKETS

q Remote Joystick Module bracket for Midline mount FRMASMB4060

q Mini Joystick mount for Midline bracket FRMASMB4897

CHIN CONTROL AND MOUNTING

q Remote Joystick Module Controller CTLDC1145
q Stealth Midline mount FRMASMB8304
q RJM mount bracket

q SAJ controller Q-Logic CTLDC1469
q Stealth Midline mount FRMASMB8304
q Multi axis mounting bracket SAJ FRMASMB10451

BUDDY BUTTON SWITCHES

q Buddy button Red SWTMCRO1007
q Buddy button Green SWTMCRO1008
q Buddy button Purple SWTMCRO1009
q Buddy button Pink SWTMCRO1010
q Buddy button Yellow SWTMCRO1011
q Buddy button Blue SWTMCRO1012
q Buddy button Black SWTMCRO1033
q Buddy button White SWTMCRO1034
q Buddy button Polka SWTMCRO1035
q Buddy button Happy SWTMCRO1036
q Buddy button Bullseye SWTMCRO1037
q Buddy button Hands On SWTMCRO1038
q Buddy button w/stickers SWTMCRO1039
q Big buddy Red SWTMCRO1040
q Big buddy Yellow SWTMCRO1041

q Micro Light switch SWTMCRO1044
q Leaf switch w/removeable pad SWTMCRO1050
q Mercury tip switch SWTMCRO1051
q Single pillow switch SWTMCRO1052
q Single treadle switch SWTMCRO1060
q Single Flex switch SWTMCRO1061
q Single Grasp switch SWTMCRO1062
q Tash cup w/ stickers SWTMCRO1063
q TASH mini cup w/stickers SWTMCRO1064

q Egg Switch Red SWTMCRO1077
q Egg Switch Green SWTMCRO1078
q Egg switch Blue SWTMCRO1079
q Egg switch Yellow SWTMCRO1080
q Egg switch Black SWTMCRO1081

The information contained herein is correct at the time of publication; we reserve the right to alter specifications and pricing without prior notice.

NEW STYLE LIGHTING KITS

q LED Lighting kit for seat scripted

Footnotes for page 4 & 5:

1. Measured from seat pan to top of back pan w/ 3-4" gap on tilt & 7-8" gap on recline to accomodate the cushion.
2. N/A w/ flip-back, cane mounted arms.
3. N/A w/ Shape Back.
4. Includes price for removable, adjustable, quick-height arms & 2-post arms.
5. Only available on TB 1 Tilt Systems.
6. Desk length armrests w/ an accessory limit the accessibilityto the height adj. lever.
7. Shape Back & w/ flip-back arms may interfere in the same configuration, call for details.
8. S/A laterals interfere w/ flip-back arms.
9. N/A w/ Attendant manual recline.
10. Tools are required to obtain additional 4" of height adjustment at bottom of armrest. 3" of adjustment at top requires no tools. Total available adjustment range is 11" - 17".
11. Only avail. on removable, adjustable, quick-height arms & pediatric arms.
12. S/A joystick mount N/A.
13. Comes with swing-away / removable hardware.
15. N/A w/ waterfall armpads.
16. N/A w/ TB 2 Tilt.
17. Switch not included.
18. Consult specialty control order form for a wide variety of switch types and sizes - 2 required.
19. Includes mounting bracket and hard-ware.
20. N/A on reclining seats.
21. N/A on manual recline high-back.
22. Manual Tilt w/ Shape Back and oxygen holder requires the use of a pushbar.
23. Solid plate back is N/A w/manual recline.

Lowest seat-to-floor height

Specialty Seat:	**17"**
Synergy Seat:	**17"**
TB 2 Tilt:	18.5"
(w/ Ang-Adj towers)	
TB 2 Tilt:	17.625"
(w/ fixed towers towers)	
TB 2 Recline:	**17"**
TB 2 Tilt/Recline:	18.5"
(w/ Ang-Adj towers)	
TB 2 Tilt/Recline:	17.625""
(w/ fixed towers towers)	
TB Tilt/Recline:	**19.375"**
High-back Seat:	**21"**

fixed towers, 300 lbs. weight capacity and solid tyres (add 3/8" with pneumatic tyres). Increased widths may increase seat-to-floor height. Contact customer service for details. Listed measurements are in the lowest

□□□□□□□□□□□□□□□□□□□□□□

TOTAL

□□□□□□□□□□□□□□□□□□□□□□